


Model No: PN-DL40-XX

Features:



- ◆ Use integral stretched aluminum housing.
- ◆ Adopt aluminium heat sink to prevent degeneration of luminous intensity caused by heat.
- ◆ Built-in driver makes the product easy installation.
- ◆ Energy saving, environment friendly, long life span.

Dimenions(unit:mm/inch):




Applications:

Widely used in hotel, house, office, parking lot, exhibition, club and other places need indoor lighting

Technology parameters :


Item No.:	SW-DL40-A01-1		
Product size:	1200*69.4*38.7mm		
Input:	85-265V AC 50Hz		
IP rating:	IP20		
Control Gear:	40W LED driver w/980mA output		
Surface Finish:	White		
Adjustable direction:	Non		
Installation Accessories:	Hanging fittings		
Wiring:	White three-core wires		
Optics:	Non		
Main Material:	Aluminium		
Power:	40W		
LED:	600PCS EPISTAR 3527SMD LED		
Color Temperature:	3000k	4000k	5000k
Luminous flux:	3000lm	3200lm	3200lm
CRI:	70	75	75
Beam angle:	120°		
The use of drive:	40W 980mA driver		
Power factor:	≥0.95		
Ambient temperature:	-10 ~ 50°C		
Box size:	1226X96X57.6mm		
Carton size:	1246X308X255mm		
Pieces per carton:	12pcs/cartons		
Each carton :	0.098CBM		

Packing:




Light beam curves :


40W led



Color temperature comparison:



Installation:



Safety for using:

1. Power must be cut off before installation, fix it on the position of installation holes, connection of the power supply must be sealed
2. Please confirm the applicable power supply before using.
3. Make sure the switch of product is off before connect to the power supply to prevent electric shock.
4. Operation against rules may damage your property even harm to your personal safety.
5. Preliminarily estimate required quantity of LED lights, then according to the power rating of single flood light to figure out the total power and design power supply plan.
6. Dangerous high voltage, Non-professionals are not allowed to maintain the products.
7. Do not light the lamp more than 10 hours a day, it will reduce the working life of led lamps. Otherwise we only provide one year warranty.

Warranty:

Technoled Warrants this product against defects in material or workmanship for a period of two years from the date of purchase. If this Product is determined to be defective, we will repair or replace the Product, at its option. This warranty does not cover cosmetic damage or damage due to acts of God, accident, misuse, abuse, negligence, commercial use, or modification of, or to any part of the Product. This warranty does not cover damage due to improper operation or maintenance, connection to improper voltage supply, or attempted repair by anyone than a facility authorized to service the Product.

Repair or replacement as provided under this warranty is the exclusive remedy of the customer. Shall not be liable for any incidental or consequential damages for breach of any express or implied warranty on this Product except to the extent prohibited by applicable law, any implied warranty of merchantability or fitness for a particular purpose on this Product is limited in duration to the duration of this limited warranty.

Only Technoled may change, amend or modify the terms of this Limited Warranty and any such change, amendment or modification shall be in writing and issued by Technoled. To obtain warranty service and shipping information, please e-mail to info@technoled.ch. You must provide proof of purchase in the form of a bill of sale or receipted invoice which is evidence that the Product is within the warranty period to obtain warranty service. Consumers have legal rights under applicable national legislation governing the sale of consumer goods. Such rights are not affected by the warranties provision outlined in this document.